Index of Authors

Abrahamse, P. A. Effect of daily movement of dairy cattle to fresh grass in morning or afternoon on intake, grazing behaviour, rumen fermentation and milk production, 721
Abreu, I. *see* Ribeiro, H.
Acholo, M. *see* Morse, S.
Acreche, M. M. Variation of grain nitrogen content in relation with grain yield in old and modern Spanish wheats grown under a wide range of agronomic conditions in a Mediterranean region, 657
Adame, Y. *see* Montalvo, E.
Adiku, S. G. K. Effects of crop rotation and fallow residue management on maize growth, yield and soil carbon in a savannah-forest transition zone of Ghana, 313
Agnew, R. E. *see* Yan, T.
Ahmad, M. M. *see* Mohammadi, R.
Al-Mamun, M. *see* Sano, H.
Amato, G. *see* Di Giorgio, G.
Amri, A. *see* Mohammadi, R.
Andrade, S. A. L. Arbuscular mycorrhizal association in coffee, 105
Archer, J. A. *see* Vetharaniam, I.
Armion, M. *see* Mohammadi, R.
Armstrong, M. J. *see* Jaggard, K. W.
Arslan, M. *see* Sener, O.
Aruna, C. Evaluation of genetic potential of shoot fly resistant sources in sorghum (*Sorghum bicolor* (L.) Moench), 71
Asher, G. W. *see* Vetharaniam, I.
Asiedu, R. *see* Hamadina, E. I.
Ayalew, W. *see* Haile, A.

Bennett, S. *see* Dickin, E.
Benson, T. *see* Gregory, N. G.
Berry, P. M. Understanding the effect of a triazole with anti-gibberellin activity on the growth and yield of oilseed rape (*Brassica napus*), 273
Bindraban, P. S. *see* Jing, Q.
Blom-Zandstra, M. *see* Meerburg, B. G.
Boote, K. J. *see* Naab, J. B.
Brisson, N. *see* Launay, M.
Broer, I. *see* Mikschofsky, H.
Butler, K. L. *see* McGregor, B. A.
Butrón, A. *see* Ordás, B.
Buttery, P. J. *see* Max, R. A.

Cansev, A. Cold-hardiness of olive (*Olea europaea* L.) cultivars in cold-acclimated and non-acclimated stages: seasonal alteration of antioxidative enzymes and dehydrin-like proteins, 51
Cansev, A. *see* Gulen, H.
Cao, W. *see* Jing, Q.
Carlos Ruiz, J. *see* Melero, S.
Ccanto, R. *see* Oswald, A.
Chen, L. D. *see* Zheng, H. F.
Craufurd, P. Q. *see* Hamadina, E. I.
Cunha, M. *see* Ribeiro, H.

Dai, T. *see* Jing, Q.
Dai, Z. Activities of key enzymes involved in starch synthesis in grains of wheat under different irrigation patterns, 437
Darmani Kuhi, H. Application of the law of diminishing returns to estimate maintenance requirement for amino acids and their efficiency of utilization for accretion in young chicks, 383
Das, A. *see* Gupta, S.
De Haan, S. *see* Oswald, A.
Dhanoa, M. S. Simplified estimation of forage degradability in the rumen assuming zero-order degradation kinetics, 225
Di Giorgio, G. Pheno-morphological and agronomic diversity among Scorpiurus muricatus (Fabaceae) natural populations collected in Sicily, 411
Dias, R. S. Rumen phosphorus metabolism in sheep, 391
Dickin, E. Growth and yield responses of UK wheat cultivars to winter waterlogging, 127
Dijkstra, J. *see* Abrahamse, P. A.
Dong, K. H. *see* Liu, Q.
Durrai, A. A. *see* Gupta, S.

Edwards-Jones, G. Carbon footprinting of lamb and beef production systems: insights from an empirical analysis of farms in Wales, UK, 707
Erayman, M. *see* Sener, O.
Eris, A. *see* Cansev, A.
Eris, A. *see* Gulen, H.

Fan, M. Z. *see* Li, L. L.
Fotiadis, S. *see* Koutroubas, S. D.
Fountaine, J. M. *see* Walters, D. R.
France, J. *see* Darmani Kuhi, H.
France, J. *see* Dhanoa, M. S.
France, J. *see* Dias, R. S.

Ganeshamurthy, A. N. Soil changes following long-term cultivation of pulses, 699
García, H. S. *see* Montalvo, E.
Gerardeaux, E. Radiation interception and conversion to biomass in two potassium-deficient cotton crops in South Benin, 155
Giambalvo, D. *see* Di Giorgio, G.
Graux, A.-I. *see* Launay, M.
Graziano, D. *see* Di Giorgio, G.
Gregory, N. G. Cattle handling and welfare standards in livestock markets in the UK, 345
Gregory, N. G. Sheep handling and welfare standards in livestock markets in the UK, 333

GUERIF, M. *see* LAUNAY, M.
GUGLIUZZA, G. *see* LIGUORI, G.
GULEN, H. Cold hardiness of olive (Olea europaea L.) cultivars in cold-acclimated and non-acclimated stages: seasonal alteration of soluble sugars and phospholipids, 459
GULEN, H. *see* CANSEV, A.
GUO, G. *see* LIU, Q.
GUO, W. *see* KO, J.
GUPTA, S. Genetic parameters of selection and stability and identification of divergent parents for hybridization in rice bean (Vigna umbellata Thunb. (Ohwi and Ohashi)) in India, 581

HAGHPARAST, R. *see* MOHAMMADI, R.
HAILE, A. Genetic evaluation of Ethiopian Boran cattle and their crosses with Holstein Friesian in central Ethiopia: reproductive traits, 81
HAMADINA, E. I. Flowering intensity in white yam (Dioscorea rotundata), 469
HAN, X. Z. *see* ZHENG, H. F.
HARRIS, I. M. *see* EDWARDS-JONES, G.
HAUBENHOFER, D. K. *see* MEERBURG, B. G.
HE, D. C. *see* LIU, Q.
HENGSDIJK, H. *see* JING, Q.
HENKE, J. Analysing soil and canopy factors affecting optimum nitrogen fertilization rates of oilseed rape (Brassica napus), 1
HOU, Y. Q. *see* LI, L. L.
HOU, Z. P. *see* LI, L. L.
HUANG, Y. X. *see* LIU, Q.

IDRIS, A. Efficacy of rhizobacteria for growth promotion in sorghum under greenhouse conditions and selected modes of action studies, 17
INGLESE, P. *see* LIGUORI, G.

JAGGARD, K. W. A meta-analysis of sugarbeet yield responses to nitrogen fertilizer measured in England since 1980, 287
JANZEN, H. H. *see* STEWART, A. A.
JAUHIAINEN, L. *see* KIRKKARI, A.-M.
JIANG, D. *see* JING, Q.
JING, Q. Quantifying N response and N use efficiency in rice–wheat (RW) cropping systems under different water management, 303
JONES, J. W. *see* ADIKU, S. G. K.
JONES, J. W. *see* NAAB, J. B.
JORDAN-MEILLE, L. *see* GERARDEAUX, E.
JOSHI, B. K. *see* HAILE, A.

KAGE, H. *see* HENKE, J.
KASSUKU, A. A. *see* MAX, R. A.
KAUT, A. H. E. E. Performance and stability of performance of spring wheat variety mixtures in organic and conventional management systems in western Canada, 141
KEBREAB, E. *see* DARMANI KUHI, H.
KEBREAB, E. *see* DIAS, R. S.
KENYON, P. R. *see* KERSLAKE, J. I.
KERSLAKE, J. I. The effect of offering concentrate supplement to twin- and triplet-bearing ewes grazing a 60 mm herbage sward height on lamb birth weight, heat production and post-natal growth, 613
KIMAMBO, A. E. *see* MAX, R. A.
KIRKKARI, A.-M. Trichome numbers in naked-oat cultivars, 63
KO, J. Parameterization of EPIC crop model for simulation of cotton growth in South Texas, 169
KONG, X. F. *see* LI, L. L.
KOREVAAR, H. *see* MEERBURG, B. G.
KORSTEN, L. *see* IDRIS, A.
KOUTROUBAS, S. D. Growth and nitrogen dynamics of spring chickpea genotypes in a Mediterranean-type climate, 445
KOZAK, M. *see* GUPTA, S.
KUMAGA, F. K. *see* ADIKU, S. G. K.

LABUSCHAGNE, N. *see* IDRIS, A.
LAUNAY, M. Carbohydrate remobilization from storage root to leaves after a stress release in sugar beet (Beta vulgaris L.): experimental and modelling approaches, 669
LECOMTE, P. *see* TRAN, H.
LI, A. K. *see* LI, L. L.
LI, L. L. The effect of dietary addition of a polysaccharide from *Atractylodes macrophala* Koidz on growth performance, immunoglobulin concentration and IL-1β expression in weaned piglets, 625
LI, T. J. *see* LI, L. L.
LIGUORI, G. Evaluating carbon fluxes in orange orchards in relation to planting density, 637
LITTLE, S. M. *see* STEWART, A. A.
LIU, C. Y. *see* LI, L. L.
LIU, Q. Effects of calcium propionate on rumen fermentation, urinary excretion of purine derivatives and feed digestibility in steers, 201
LIU, Y. L. *see* LI, L. L.
LOPEZ, S. *see* DARMANI KUHI, H.
LÓPEZ, S. *see* DHANOA, M. S.
LOPEZ, S. *see* DIAS, R. S.

MADEJÓN, E. *see* MELERO, S.
MANN, G. *see* MIKSCHOFSKY, H.
MARASENI, T. N. Greenhouse gas emissions from rice farming inputs: a cross-country assessment, 117
MAROULIS, J. *see* MARASENI, T. N.
MASA, A. *see* VILANOVA, M.
MASON, C. W. *see* GREGORY, N. G.
MASON, H. E. *see* KAUT, A. H. E. E.
MATA, M. *see* MONTALVO, E.
MAX, R. A. The effect of wattle tannin drenches on gastrointestinal nematodes of tropical sheep and goats during experimental and natural infections, 211
MAYNE, C. S. *see* YAN, T.
MAZZAFERA, P. *see* ANDRADE, S. A. L.
MCGREGOR, B. A. Variation of mohair staple length across Angora goat fleeces: implications for animal selection and fleece evaluation, 493
MCNAMARA, N. *see* MORSE, S.
MEERBURG, B. G. The changing role of agriculture in Dutch society, 511
MELERO, S. Soil biochemical response after 23 years of direct drilling under a dryland agriculture system in southwest Spain, 9
MIKSCHOFSKY, H. Soil adaptation of transgenic *in vitro* carrot plantlets, 43
MITRA, J. *see* GUPTA, S.
MOGHADDAM, M. J. Comparison of parametric and non-parametric methods for analysing genotype ×

environment interactions in safflower (Carthamus tinctorius L.), 601
MOHAMMADI, R. Pattern analysis of genotype-by-environment interaction for grain yield in durum wheat, 537
MONTALVO, E. Changes of sugars, β-carotene and firmness of refrigerated Ataulfo mangoes treated with exogenous ethylene, 193
MOREL, P. C. H. *see* KERSLAKE, J. I.
MORRIS, S. T. *see* KERSLAKE, J. I.
MORSE, S. Potential for clean yam minisett production by resource-poor farmers in the middle-belt of Nigeria, 589
MTENGA, L. A. *see* MAX, R. A.
MUSHTAQ, S. *see* MARASENI, T. N.

NAAB, J. B. Influence of fungicide and sowing density on the growth and yield of two groundnut cultivars, 179
NAVABI, A. *see* KAUT, A. H. E. E.

O'DONOVAN, J. T. *see* KAUT, A. H. E. E.
OMINSKI, K. H. *see* STEWART, A. A.
ORDÁS, A. *see* ORDÁS, B.
ORDÁS, B. Transition between vegetative phases in maize: genetic effects and variances and associated markers, 547
OSWALD, A. The complexity of simple tillage systems, 399

PADMAJA, P. G. *see* ARUNA, C.
PAPAGEORGIOU, M. *see* KOUTROUBAS, S. D.
PARDO, R. M. P. *see* DIAS, R. S.
PATTANAYAK, A. *see* GUPTA, S.
PATTERSON, D. C. *see* YAN, T.
PELLERIN, S. *see* GERARDEAUX, E.
PELTONEN-SAINIO, P. *see* KIRKKARI, A.-M.
PENG, H. Z. *see* LI, L. L.
PICCINNI, G. *see* KO, J.
PLASSMAN *see* EDWARDS-JONES, G.
PORTER, M. G. *see* YAN, T.
POURDAD, S. S. *see* MOGHADDAM, M. J.
PRASAD, P. V. V. *see* NAAB, J. B.

QI, A. *see* JAGGARD, K. W.
QIU, X. M. *see* LI, L. L.

REVILLA, P. *see* ORDÁS, B.
RIBEIRO, H. A bioclimatic model for forecasting olive yield, 647
ROLLO, M. D. *see* VETHARANIAM, I.
RUISI, P. *see* DI GIORGIO, G.

SAARIJÄRVI, K. Nitrogen dynamics of cattle dung and urine patches on intensively managed boreal pasture, 479
SADEGHZADEH, D. *see* MOHAMMADI, R.
SAHAY, G. *see* GUPTA, S.
SALGADO, P. *see* TRAN, H.
SANCHEZ, J. *see* OSWALD, A.
SANDERSON, R. *see* DHANOA, M. S.
SANO, H. Effects of diet and cold exposure on rates of plasma leucine turnover and protein synthesis in sheep, 91
SANTALLA, M. *see* VILANOVA, M.
SAUERMANN, W. *see* HENKE, J.
SAWADA, H. *see* SANO, H.
SCHIAVINATO, M. A. *see* ANDRADE, S. A. L.
SEINI, S. S. *see* NAAB, J. B.
SENER, O. Estimates of relative yield potential and genetic improvement of wheat cultivars in the Mediterranean region, 323
SERRANO, L. *see* ORDÁS, B.
SIELING, K. *see* HENKE, J.
SILVA FILHO, J. C. *see* DIAS, R. S.
SILVA, T. *see* DIAS, R. S.
SILVEIRA, A. P. D. *see* ANDRADE, S. A. L.
SINGH, A. *see* HAILE, A.
SLAFER, G. A. *see* ACRECHE, M. M.
SMITH, N. *see* GREGORY, N. G.
SOYSAL, Y. *see* SENER, O.
SPANER, D. *see* KAUT, A. H. E. E.
SPINK, J. H. *see* BERRY, P. M.
STAFFORD, K. J. *see* KERSLAKE, J. I.
STEGLICH, E. *see* KO, J.
STEVENS, D. R. *see* VETHARANIAM, I.
STEWART, A. A. Evaluating greenhouse gas mitigation practices in livestock systems: an illustration of a whole-farm approach, 367

TAKENAMI, A. *see* SANO, H.
TAMMINGA, S. *see* ABRAHAMSE, P. A.
TEGEGNE, A. *see* HAILE, A.
THONGBAM, P. D. *see* GUPTA, S.
TONYIGAH, A. *see* ADIKU, S. G. K.
TOVAR, B. *see* MONTALVO, E.
TRAN, H. Species, climate and fertilizer effects on grass fibre and protein in tropical environments, 555

VAN KEULEN, H. *see* JING, Q.
VAN KEULEN, H. *see* MEERBURG, B. G.
VANDERLINDEN, K. *see* MELERO, S.
VERMA, M. R. *see* GUPTA, S.
VETHARANIAM, I. A model of growth, pregnancy and lactation in the red deer, 253
VILANOVA, M. Environmental and genetic variation of phenolic compounds in grapes (*Vitis vinifera*) from northwest Spain, 683
VIRKAJÄRVI, P. *see* SAARIJÄRVI, K.
VITTI, D. M. S. S. *see* DIAS, R. S.

WAKELIN, D. *see* MAX, R. A.
WALTERS, D. R. Practical application of induced resistance to plant diseases: an appraisal of effectiveness under field conditions, 523
WANG, C. *see* LIU, Q.
WANG, Z. Q. *see* ZHANG, Z. C.
WANG, Z. *see* DAI, Z.
WITTENBERG, K. M. *see* STEWART, A. A.
WOODWARD, S. J. R. *see* VETHARANIAM, I.
WRIGHT, D. *see* DICKIN, E.
WU, X. *see* LI, L. L.

XU, M. *see* ZHANG, H.
XUE, Y. G. *see* ZHANG, Z. C.

YAN, T. Prediction of empty body weight and composition from live weight and other live animal measurements in lactating dairy cows, 241

YANG, J. C. *see* ZHANG, Z. C.
YANG, K. M. *see* LI, L. L.
YANG, W. Z. *see* LIU, Q.
YANG, X. M. *see* LIU, Q.
YIN, Y. L. *see* LI, L. L.
YIN, Y. *see* DAI, Z.

ZHANG, B. *see* LI, L. L.
ZHANG, F. *see* ZHANG, H.
ZHANG, H. Long-term effects of manure application on grain yield under different cropping systems and ecological conditions in China, 31
ZHANG, J. H. *see* ZHANG, Z. C.
ZHANG, Z. C. The relationship of grain filling with abscisic acid and ethylene under non-flooded mulching cultivation, 423
ZHENG, H. F. The effects of global warming on soybean yields in a long-term fertilization experiment in Northeast China, 569

Index of Subjects

β-carotene
Changes of sugars, β-carotene and firmness of refrigerated Ataulfo mangoes treated with exogenous ethylene (Montalvo *et al.*), 193

Abscisic acid
The relationship of grain filling with abscisic acid and ethylene under non-flooded mulching cultivation (Zhang *et al.*), 423

Agriculture
The changing role of agriculture in Dutch society (Meerburg *et al.*), 511

Amino acids
Application of the law of diminishing returns to estimate maintenance requirement for amino acids and their efficiency of utilization for accretion in young chicks (Darmani Kuhi *et al.*), 383

Angora goat
Variation of mohair staple length across Angora goat fleeces: implications for animal selection and fleece evaluation (McGregor and Butler), 493

Anti-gibberellin
Understanding the effect of a triazole with anti-gibberellin activity on the growth and yield of oilseed rape (*Brassica napus*) (Berry and Spink), 273

Beef
Carbon footprinting of lamb and beef production systems: insights from an empirical analysis of farms in Wales, UK (Edwards-Jones *et al.*), 707

Beta vulgaris
Carbohydrate remobilization from storage root to leaves after a stress release in sugar beet (*Beta vulgaris* L.): experimental and modelling approaches (Launay *et al.*), 669

Biomass
Radiation interception and conversion to biomass in two potassium-deficient cotton crops in South Benin (Gerardeaux *et al.*), 155

Birth weight
The effect of offering concentrate supplement to twin- and triplet-bearing ewes grazing a 60 mm herbage sward height on lamb birth weight, heat production and postnatal growth (Kerslake *et al.*), 613

Body weight
Prediction of empty body weight and composition from live weight and other live animal measurements in lactating dairy cows (Yan *et al.*), 241

Brassica napus
Analysing soil and canopy factors affecting optimum nitrogen fertilization rates of oilseed rape (*Brassica napus*) (Henke *et al.*), 1
Understanding the effect of a triazole with anti-gibberellin activity on the growth and yield of oilseed rape (*Brassica napus*) (Berry and Spink), 273

Calcium propionate
Effects of calcium propionate on rumen fermentation, urinary excretion of purine derivatives and feed digestibility in steers (Liu *et al.*), 201

Canopy
Analysing soil and canopy factors affecting optimum nitrogen fertilization rates of oilseed rape (*Brassica napus*) (Henke *et al.*), 1

Carbohydrate
Carbohydrate remobilization from storage root to leaves after a stress release in sugar beet (*Beta vulgaris* L.): experimental and modelling approaches (Launay *et al.*), 669

Carbon
Effects of crop rotation and fallow residue management on maize growth, yield and soil carbon in a savannah-forest transition zone of Ghana (Adiku *et al.*), 313
Evaluating carbon fluxes in orange orchards in relation to planting density (Liguori *et al.*), 637
Carbon footprinting of lamb and beef production systems: insights from an empirical analysis of farms in Wales, UK (Edwards-Jones *et al.*), 707

Carrot
Soil adaptation of transgenic *in vitro* carrot plantlets (Mikschofsky *et al.*), 43

Carthamus tinctorius
Comparison of parametric and non-parametric methods for analysing genotype × environment interactions in safflower (*Carthamus tinctorius* L.) (Moghaddam and Pourdad), 601

Cattle
Genetic evaluation of Ethiopian Boran cattle and their crosses with Holstein Friesian in central Ethiopia: reproductive traits (Haile *et al.*), 81
Cattle handling and welfare standards in livestock markets in the UK (Gregory *et al.*), 345
Nitrogen dynamics of cattle dung and urine patches on intensively managed boreal pasture (Saarijärvi and Virkajärvi), 479
Effect of daily movement of dairy cattle to fresh grass in morning or afternoon on intake, grazing behaviour, rumen fermentation and milk production (Abrahamse *et al.*), 721

Cattle dung
Nitrogen dynamics of cattle dung and urine patches on intensively managed boreal pasture (Saarijärvi and Virkajärvi), 479

Chickpea
Growth and nitrogen dynamics of spring chickpea genotypes in a Mediterranean-type climate (Koutroubas *et al.*), 445

Chicks
Application of the law of diminishing returns to estimate maintenance requirement for amino acids and their efficiency of utilization for accretion in young chicks (Darmani Kuhi *et al.*), 383
Coffee
Arbuscular mycorrhizal association in coffee (Andrade *et al.*), 105
Cold
Cold hardiness of olive (*Olea europaea* L.) cultivars in cold-acclimated and non-acclimated stages: seasonal alteration of soluble sugars and phospholipids (Gulen *et al.*), 459
Cold exposure
Effects of diet and cold exposure on rates of plasma leucine turnover and protein synthesis in sheep (Sano *et al.*), 91
Cold hardiness
Cold-hardiness of olive (*Olea europaea* L.) cultivars in cold-acclimated and non-acclimated stages: seasonal alteration of antioxidative enzymes and dehydrin-like proteins (Cansev *et al.*), 51
Cold hardiness of olive (*Olea europaea* L.) cultivars in cold-acclimated and non-acclimated stages: seasonal alteration of soluble sugars and phospholipids (Gulen *et al.*), 459
Concentrate
The effect of offering concentrate supplement to twin- and triplet-bearing ewes grazing a 60 mm herbage sward height on lamb birth weight, heat production and post-natal growth (Kerslake *et al.*), 613
Cotton
Radiation interception and conversion to biomass in two potassium-deficient cotton crops in South Benin (Gerardeaux *et al.*), 155
Parameterization of EPIC crop model for simulation of cotton growth in South Texas (Ko *et al.*), 169
Crop model
Parameterization of EPIC crop model for simulation of cotton growth in South Texas (Ko *et al.*), 169
Crop rotation
Effects of crop rotation and fallow residue management on maize growth, yield and soil carbon in a savannah-forest transition zone of Ghana (Adiku *et al.*), 313
Cropping systems
Long-term effects of manure application on grain yield under different cropping systems and ecological conditions in China (Zhang *et al.*), 31
Cultivation
Soil changes following long-term cultivation of pulses (Ganeshamurthy), 699
Dairy
Effect of daily movement of dairy cattle to fresh grass in morning or afternoon on intake, grazing behaviour, rumen fermentation and milk production (Abrahamse *et al.*), 721
Dairy cows
Prediction of empty body weight and composition from live weight and other live animal measurements in lactating dairy cows (Yan *et al.*), 241
Degradability
Simplified estimation of forage degradability in the rumen assuming zero-order degradation kinetics (Dhanoa *et al.*), 225
Degradation kinetics
Simplified estimation of forage degradability in the rumen assuming zero-order degradation kinetics (Dhanoa *et al.*), 225
Diet
Effects of diet and cold exposure on rates of plasma leucine turnover and protein synthesis in sheep (Sano *et al.*), 91
Dioscorea Rotundata
Flowering intensity in white yam (*Dioscorea rotundata*) (Hammadina *et al.*), 469
Direct drilling
Soil biochemical response after 23 years of direct drilling under a dryland agriculture system in southwest Spain (Melero *et al.*), 9
Diversity
Pheno-morphological and agronomic diversity among *Scorpiurus muricatus* (Fabaceae) natural populations collected in Sicily (Di Giorgio *et al.*), 411
Dryland agriculture
Soil biochemical response after 23 years of direct drilling under a dryland agriculture system in southwest Spain (Melero *et al.*), 9
Dung
Nitrogen dynamics of cattle dung and urine patches on intensively managed boreal pasture (Saarijärvi and Virkajärvi), 479
Durum wheat
Pattern analysis of genotype-by-environment interaction for grain yield in durum wheat (Mohammadi *et al.*), 537
Dutch society
The changing role of agriculture in Dutch society (Meerburg *et al.*), 511
Effectiveness
Practical application of induced resistance to plant diseases: an appraisal of effectiveness under field conditions (Walters and Fountaine), 523
Environmental
Environmental and genetic variation of phenolic compounds in grapes (*Vitis vinifera*) from northwest Spain (Vilanova *et al.*), 683
Enzymes
Activities of key enzymes involved in starch synthesis in grains of wheat under different irrigation patterns (Dai *et al.*), 437
Ethylene
Changes of sugars, β-carotene and firmness of refrigerated Ataulfo mangoes treated with exogenous ethylene (Montalvo *et al.*), 193
The relationship of grain filling with abscisic acid and ethylene under non-flooded mulching cultivation (Zhang *et al.*), 423
Ewes
The effect of offering concentrate supplement to twin- and triplet-bearing ewes grazing a 60 mm herbage sward height on lamb birth weight, heat production and post-natal growth (Kerslake *et al.*), 613
Farms
Carbon footprinting of lamb and beef production systems: insights from an empirical analysis of farms in Wales, UK (Edwards-Jones *et al.*), 707
Fertilization
The effects of global warming on soybean yields in a long-term fertilization experiment in Northeast China (Zheng *et al.*), 569

Fertilizer
Species, climate and fertilizer effects on grass fibre and protein in tropical environments (Tran *et al.*), 555
Fibre
Species, climate and fertilizer effects on grass fibre and protein in tropical environments (Tran *et al.*), 555
Fleece
Variation of mohair staple length across Angora goat fleeces: implications for animal selection and fleece evaluation (McGregor and Butler), 493
Flowering
Flowering intensity in white yam (*Dioscorea rotundata*) (Hammadina *et al.*), 469
Fungicide
Influence of fungicide and sowing density on the growth and yield of two groundnut cultivars (Naab *et al.*), 179
Gastrointestinal nematodes
The effect of wattle tannin drenches on gastrointestinal nematodes of tropical sheep and goats during experimental and natural infections (Max *et al.*), 211
Genetic effects
Transition between vegetative phases in maize: genetic effects and variances and associated markers (Ordás *et al.*), 547
Genetic evaluation
Genetic evaluation of Ethiopian Boran cattle and their crosses with Holstein Friesian in central Ethiopia: reproductive traits (Haile *et al.*), 81
Genetic improvement
Estimates of relative yield potential and genetic improvement of wheat cultivars in the Mediterranean region (Sener *et al.*), 323
Genetic potential
Evaluation of genetic potential of shoot fly resistant sources in sorghum (*Sorghum bicolor* (L.) Moench) (Aruna and Padmaja), 71
Genetic variation
Environmental and genetic variation of phenolic compounds in grapes (*Vitis vinifera*) from northwest Spain (Vilanova *et al.*), 683
Genotype × environment interaction
Pattern analysis of genotype-by-environment interaction for grain yield in durum wheat (Mohammadi *et al.*), 537
Comparison of parametric and non-parametric methods for analysing genotype × environment interactions in safflower (*Carthamus tinctorius* L.) (Moghaddam and Pourdad), 601
Global warming
The effects of global warming on soybean yields in a long-term fertilization experiment in Northeast China (Zheng *et al.*), 569
Goat(s)
The effect of wattle tannin drenches on gastrointestinal nematodes of tropical sheep and goats during experimental and natural infections (Max *et al.*), 211
Variation of mohair staple length across Angora goat fleeces: implications for animal selection and fleece evaluation (McGregor and Butler), 493
Grain filling
The relationship of grain filling with abscisic acid and ethylene under non-flooded mulching cultivation (Zhang *et al.*), 423
Grain nitrogen
Variation of grain nitrogen content in relation with grain yield in old and modern Spanish wheats grown under a wide range of agronomic conditions in a Mediterranean region (Acreche and Slafer), 657
Grain yield
Long-term effects of manure application on grain yield under different cropping systems and ecological conditions in China (Zhang *et al.*), 31
Pattern analysis of genotype-by-environment interaction for grain yield in durum wheat (Mohammadi *et al.*), 537
Variation of grain nitrogen content in relation with grain yield in old and modern Spanish wheats grown under a wide range of agronomic conditions in a Mediterranean region (Acreche and Slafer), 657
Grapes
Environmental and genetic variation of phenolic compounds in grapes (*Vitis vinifera*) from northwest Spain (Vilanova *et al.*), 683
Grass
Species, climate and fertilizer effects on grass fibre and protein in tropical environments (Tran *et al.*), 555
Effect of daily movement of dairy cattle to fresh grass in morning or afternoon on intake, grazing behaviour, rumen fermentation and milk production (Abrahamse *et al.*), 721
Greenhouse gas
Greenhouse gas emissions from rice farming inputs: a cross country assessment (Maraseni *et al.*), 117
Evaluating greenhouse gas mitigation practices in livestock systems: an illustration of a whole-farm approach (Stewart *et al.*), 367
Groundnut
Influence of fungicide and sowing density on the growth and yield of two groundnut cultivars (Naab *et al.*), 179
Growth
Growth and yield responses of UK wheat cultivars to winter waterlogging (Dickin *et al.*), 127
Influence of fungicide and sowing density on the growth and yield of two groundnut cultivars (Naab *et al.*), 179
A model of growth, pregnancy and lactation in the red deer (Vetharaniam *et al.*), 253
Growth and nitrogen dynamics of spring chickpea genotypes in a Mediterranean-type climate (Koutroubas *et al.*), 445
Growth performance
The effect of dietary addition of a polysaccharide from *Atractylodes macrophala* Koidz on growth performance, immunoglobulin concentration and IL-1β expression in weaned piglets (Li *et al.*), 625
Heat production
The effect of offering concentrate supplement to twin- and triplet-bearing ewes grazing a 60 mm herbage sward height on lamb birth weight, heat production and post-natal growth (Kerslake *et al.*), 613
Immunoglobulin
The effect of dietary addition of a polysaccharide from *Atractylodes macrophala* Koidz on growth performance, immunoglobulin concentration and IL-1β expression in weaned piglets (Li *et al.*), 625
Induced resistance
Practical application of induced resistance to plant diseases: an appraisal of effectiveness under field conditions (Walters and Fountaine), 523

Irrigation
Activities of key enzymes involved in starch synthesis in grains of wheat under different irrigation patterns (Dai *et al.*), 437
Lactation
A model of growth, pregnancy and lactation in the red deer (Vetharaniam *et al.*), 253
Lamb
Carbon footprinting of lamb and beef production systems: insights from an empirical analysis of farms in Wales, UK (Edwards-Jones *et al.*), 707
Leaves
Carbohydrate remobilization from storage root to leaves after a stress release in sugar beet (*Beta vulgaris* L.): experimental and modelling approaches (Launay *et al.*), 669
Live weight
Prediction of empty body weight and composition from live weight and other live animal measurements in lactating dairy cows (Yan *et al.*), 241
Livestock markets
Sheep handling and welfare standards in livestock markets in the UK (Gregory *et al.*), 333
Cattle handling and welfare standards in livestock markets in the UK (Gregory *et al.*), 345
Livestock systems
Evaluating greenhouse gas mitigation practices in livestock systems: an illustration of a whole-farm approach (Stewart *et al.*), 367
Long-term
The effects of global warming on soybean yields in a long-term fertilization experiment in Northeast China (Zheng *et al.*), 569
Soil changes following long-term cultivation of pulses (Ganeshamurthy), 699
Maintenance requirement
Application of the law of diminishing returns to estimate maintenance requirement for amino acids and their efficiency of utilization for accretion in young chicks (Darmani Kuhi *et al.*), 383
Maize
Effects of crop rotation and fallow residue management on maize growth, yield and soil carbon in a savannah-forest transition zone of Ghana, (Adiku *et al.*), 313
Transition between vegetative phases in maize: genetic effects and variances and associated markers (Ordás *et al.*), 547
Mangoes
Changes of sugars, β-carotene and firmness of refrigerated Ataulfo mangoes treated with exogenous ethylene (Montalvo *et al.*), 193
Manure
Long-term effects of manure application on grain yield under different cropping systems and ecological conditions in China (Zhang *et al.*), 31
Markers
Transition between vegetative phases in maize: genetic effects and variances and associated markers (Ordás *et al.*), 547
Metabolism
Rumen phosphorus metabolism in sheep (Dias *et al.*), 391
Milk
Effect of daily movement of dairy cattle to fresh grass in morning or afternoon on intake, grazing behaviour, rumen fermentation and milk production (Abrahamse *et al.*), 721
Model
A bioclimatic model for forecasting olive yield (Ribeiro *et al.*), 647
Mohair
Variation of mohair staple length across Angora goat fleeces: implications for animal selection and fleece evaluation (McGregor and Butler), 493
Mycorrhizal
Arbuscular mycorrhizal association in coffee (Andrade *et al.*), 105
N response
Quantifying N response and N use efficiency in rice–wheat (RW) cropping systems under different water management (Jing *et al.*), 303
N use efficiency
Quantifying N response and N use efficiency in rice–wheat (RW) cropping systems under different water management (Jing *et al.*), 303
Nitrogen
A meta-analysis of sugarbeet yield responses to nitrogen fertilizer measured in England since 1980 (Jaggard *et al.*), 287
Growth and nitrogen dynamics of spring chickpea genotypes in a Mediterranean-type climate (Koutroubas *et al.*), 445
Nitrogen dynamics of cattle dung and urine patches on intensively managed boreal pasture (Saarijärvi and Virkajärvi), 479
Oat
Trichome numbers in naked-oat cultivars (Kirkkari *et al.*), 63
Oilseed rape
Understanding the effect of a triazole with anti-gibberellin activity on the growth and yield of oilseed rape (*Brassica napus*) (Berry and Spink), 273
Analysing soil and canopy factors affecting optimum nitrogen fertilization rates of oilseed rape (*Brassica napus*) (Henke *et al.*), 1
Olea europaea
Cold-hardiness of olive (*Olea europaea* L.) cultivars in cold-acclimated and non-acclimated stages: seasonal alteration of antioxidative enzymes and dehydrin-like proteins (Cansev *et al.*), 51
Cold hardiness of olive (*Olea europaea* L.) cultivars in cold-acclimated and non-acclimated stages: seasonal alteration of soluble sugars and phospholipids (Gulen *et al.*), 459
Olive
Cold-hardiness of olive (*Olea europaea* L.) cultivars in cold-acclimated and non-acclimated stages: seasonal alteration of antioxidative enzymes and dehydrin-like proteins (Cansev *et al.*), 51
Cold hardiness of olive (*Olea europaea* L.) cultivars in cold-acclimated and non-acclimated stages: seasonal alteration of soluble sugars and phospholipids (Gulen *et al.*), 459
A bioclimatic model for forecasting olive yield (Ribeiro *et al.*), 647
Optimum nitrogen
Analysing soil and canopy factors affecting optimum nitrogen fertilization rates of oilseed rape (*Brassica napus*) (Henke *et al.*), 1

Orange
Evaluating carbon fluxes in orange orchards in relation to planting density (Liguori *et al.*), 637
Organic
Performance and stability of performance of spring wheat variety mixtures in organic and conventional management systems in western Canada (Kaut *et al.*), 141
Pasture
Nitrogen dynamics of cattle dung and urine patches on intensively managed boreal pasture (Saarijärvi and Virkajärvi), 479
Phenolic compounds
Environmental and genetic variation of phenolic compounds in grapes (*Vitis vinifera*) from northwest Spain (Vilanova *et al.*), 683
Phospholipids
Cold hardiness of olive (*Olea europaea* L.) cultivars in cold-acclimated and non-acclimated stages: seasonal alteration of soluble sugars and phospholipids (Gulen *et al.*), 459
Phosphorus
Rumen phosphorus metabolism in sheep (Dias *et al.*), 391
Piglets
The effect of dietary addition of a polysaccharide from *Atractylodes macrophala* Koidz on growth performance, immunoglobulin concentration and IL-1β expression in weaned piglets (Li *et al.*), 625
Plant diseases
Practical application of induced resistance to plant diseases: an appraisal of effectiveness under field conditions (Walters and Fountaine), 523
Planting density
Evaluating carbon fluxes in orange orchards in relation to planting density (Liguori *et al.*), 637
Plasma leucine
Effects of diet and cold exposure on rates of plasma leucine turnover and protein synthesis in sheep (Sano *et al.*), 91
Polysaccharide
The effect of dietary addition of a polysaccharide from *Atractylodes macrophala* Koidz on growth performance, immunoglobulin concentration and IL-1β expression in weaned piglets (Li *et al.*), 625
Post-natal growth
The effect of offering concentrate supplement to twin- and triplet-bearing ewes grazing a 60 mm herbage sward height on lamb birth weight, heat production and post-natal growth (Kerslake *et al.*), 613
Pregnancy
A model of growth, pregnancy and lactation in the red deer (Vetharaniam *et al.*), 253
Protein
Species, climate and fertilizer effects on grass fibre and protein in tropical environments (Tran *et al.*), 555
Protein synthesis
Effects of diet and cold exposure on rates of plasma leucine turnover and protein synthesis in sheep (Sano *et al.*), 91
Pulses
Soil changes following long-term cultivation of pulses (Ganeshamurthy), 699
Purine
Effects of calcium propionate on rumen fermentation, urinary excretion of purine derivatives and feed digestibility in steers (Liu *et al.*), 201
Radiation interception
Radiation interception and conversion to biomass in two potassium-deficient cotton crops in South Benin (Gerardeaux *et al.*), 155
Red deer
A model of growth, pregnancy and lactation in the red deer (Vetharaniam *et al.*), 253
Reproductive traits
Genetic evaluation of Ethiopian Boran cattle and their crosses with Holstein Friesian in central Ethiopia: reproductive traits (Haile *et al.*), 81
Residue management
Effects of crop rotation and fallow residue management on maize growth, yield and soil carbon in a savannah-forest transition zone of Ghana, (Adiku *et al.*), 313
Rhizobacteria
Efficacy of rhizobacteria for growth promotion in sorghum under greenhouse conditions and selected modes of action studies (Idris *et al.*), 17
Rice
Greenhouse gas emissions from rice farming inputs: a cross country assessment (Maraseni *et al.*), 117
Quantifying N response and N use efficiency in rice–wheat (RW) cropping systems under different water management (Jing *et al.*), 303
Rice bean
Genetic parameters of selection and stability and identification of divergent parents for hybridization in rice bean (*Vigna umbellata* Thunb. (Ohwi and Ohashi)) in India (Gupta *et al.*), 581
Root
Carbohydrate remobilization from storage root to leaves after a stress release in sugar beet (*Beta vulgaris* L.): experimental and modelling approaches (Launay *et al.*), 669
Rumen
Effects of calcium propionate on rumen fermentation, urinary excretion of purine derivatives and feed digestibility in steers (Liu *et al.*), 201
Simplified estimation of forage degradability in the rumen assuming zero-order degradation kinetics (Dhanoa *et al.*), 225
Rumen phosphorus metabolism in sheep (Dias *et al.*), 391
Effect of daily movement of dairy cattle to fresh grass in morning or afternoon on intake, grazing behaviour, rumen fermentation and milk production (Abrahamse *et al.*), 721
Safflower
Comparison of parametric and non-parametric methods for analysing genotype × environment interactions in safflower (*Carthamus tinctorius* L.) (Moghaddam and Pourdad), 601
Scorpiurus muricatus
Pheno-morphological and agronomic diversity among *Scorpiurus muricatus* (Fabaceae) natural populations collected in Sicily (Di Giorgio *et al.*), 411
Selection
Genetic parameters of selection and stability and identification of divergent parents for hybridization in rice bean (*Vigna umbellata* Thunb. (Ohwi and Ohashi)) in India (Gupta *et al.*), 581
Sheep
Effects of diet and cold exposure on rates of plasma leucine turnover and protein synthesis in sheep (Sano *et al.*), 91

The effect of wattle tannin drenches on gastrointestinal nematodes of tropical sheep and goats during experimental and natural infections (Max *et al.*), 211
Sheep handling and welfare standards in livestock markets in the UK (Gregory *et al.*), 333
Rumen phosphorus metabolism in sheep (Dias *et al.*), 391

Shoot-fly resistant
Evaluation of genetic potential of shoot fly resistant sources in sorghum (*Sorghum bicolor* (L.) Moench) (Aruna and Padmaja), 71

Soil
Analysing soil and canopy factors affecting optimum nitrogen fertilization rates of oilseed rape (*Brassica napus*) (Henke *et al.*), 1
Soil biochemical response after 23 years of direct drilling under a dryland agriculture system in southwest Spain (Melero *et al.*), 9
Soil adaptation of transgenic *in vitro* carrot plantlets (Mikschofsky *et al.*), 43
Effects of crop rotation and fallow residue management on maize growth, yield and soil carbon in a savannah-forest transition zone of Ghana, (Adiku *et al.*), 313
Soil changes following long-term cultivation of pulses (Ganeshamurthy), 699

Soluble sugars
Cold hardiness of olive (*Olea europaea* L.) cultivars in cold-acclimated and non-acclimated stages: seasonal alteration of soluble sugars and phospholipids (Gulen *et al.*), 459

Sorghum
Efficacy of rhizobacteria for growth promotion in sorghum under greenhouse conditions and selected modes of action studies (Idris *et al.*), 17
Evaluation of genetic potential of shoot fly resistant sources in sorghum (*Sorghum bicolor* (L.) Moench) (Aruna and Padmaja), 71

Sowing density
Influence of fungicide and sowing density on the growth and yield of two groundnut cultivars (Naab *et al.*), 179

Soybean
The effects of global warming on soybean yields in a long-term fertilization experiment in Northeast China (Zheng *et al.*), 569

Stability
Performance and stability of performance of spring wheat variety mixtures in organic and conventional management systems in western Canada (Kaut *et al.*), 141

Starch synthesis
Activities of key enzymes involved in starch synthesis in grains of wheat under different irrigation patterns (Dai *et al.*), 437

Steers
Effects of calcium propionate on rumen fermentation, urinary excretion of purine derivatives and feed digestibility in steers (Liu *et al.*), 201

Sugar beet
A meta-analysis of sugarbeet yield responses to nitrogen fertilizer measured in England since 1980 (Jaggard *et al.*), 287
Carbohydrate remobilization from storage root to leaves after a stress release in sugar beet (*Beta vulgaris* L.): experimental and modelling approaches (Launay *et al.*), 669

Sugars
Changes of sugars, β-carotene and firmness of refrigerated Ataulfo mangoes treated with exogenous ethylene (Montalvo *et al.*), 193

Sward
The effect of offering concentrate supplement to twin- and triplet-bearing ewes grazing a 60 mm herbage sward height on lamb birth weight, heat production and post-natal growth (Kerslake *et al.*), 613

Tannin
The effect of wattle tannin drenches on gastrointestinal nematodes of tropical sheep and goats during experimental and natural infections (Max *et al.*), 211

Tillage
The complexity of simple tillage systems (Oswald *et al.*), 399

Transgenic
Soil adaptation of transgenic *in vitro* carrot plantlets (Mikschofsky *et al.*), 43

Triazole
Understanding the effect of a triazole with anti-gibberellin activity on the growth and yield of oilseed rape (*Brassica napus*) (Berry and Spink), 273

Trichome
Trichome numbers in naked-oat cultivars (Kirkkari *et al.*), 63

Urine
Nitrogen dynamics of cattle dung and urine patches on intensively managed boreal pasture (Saarijärvi and Virkajärvi), 479

Variation
Environmental and genetic variation of phenolic compounds in grapes (*Vitis vinifera*) from northwest Spain (Vilanova *et al.*), 683

Variety mixtures
Performance and stability of performance of spring wheat variety mixtures in organic and conventional management systems in western Canada (Kaut *et al.*), 141

Vigna umbellata
Genetic parameters of selection and stability and identification of divergent parents for hybridization in rice bean (*Vigna umbellata* Thunb. (Ohwi and Ohashi)) in India (Gupta *et al.*), 581

Water management
Quantifying N response and N use efficiency in rice–wheat (RW) cropping systems under different water management (Jing *et al.*), 303

Waterlogging
Growth and yield responses of UK wheat cultivars to winter waterlogging (Dickin *et al.*), 127

Welfare
Sheep handling and welfare standards in livestock markets in the UK (Gregory *et al.*), 333
Cattle handling and welfare standards in livestock markets in the UK (Gregory *et al.*), 345

Wheat
Performance and stability of performance of spring wheat variety mixtures in organic and conventional management systems in western Canada (Kaut *et al.*), 141
Quantifying N response and N use efficiency in rice–wheat (RW) cropping systems under different water management (Jing *et al.*), 303

Estimates of relative yield potential and genetic improvement of wheat cultivars in the Mediterranean region (Sener *et al.*), 323
Activities of key enzymes involved in starch synthesis in grains of wheat under different irrigation patterns (Dai *et al.*), 437
Variation of grain nitrogen content in relation with grain yield in old and modern Spanish wheats grown under a wide range of agronomic conditions in a Mediterranean region (Acreche and Slafer), 657

Wheat cultivars
Growth and yield responses of UK wheat cultivars to winter waterlogging (Dickin *et al.*), 127
Estimates of relative yield potential and genetic improvement of wheat cultivars in the Mediterranean region (Sener *et al.*), 323

Yam
Flowering intensity in white yam (*Dioscorea rotundata*) (Hammadina *et al.*), 469
Potential for clean yam minisett production by resource-poor farmers in the middle-belt of Nigeria (Morse *et al.*), 589

Yield(s)
Growth and yield responses of UK wheat cultivars to winter waterlogging (Dickin *et al.*), 127
Influence of fungicide and sowing density on the growth and yield of two groundnut cultivars (Naab *et al.*), 179
A meta-analysis of sugarbeet yield responses to nitrogen fertilizer measured in England since 1980 (Jaggard *et al.*), 287
Effects of crop rotation and fallow residue management on maize growth, yield and soil carbon in a savannah-forest transition zone of Ghana, (Adiku *et al.*), 313
The effects of global warming on soybean yields in a long-term fertilization experiment in Northeast China (Zheng *et al.*), 569
A bioclimatic model for forecasting olive yield (Ribeiro *et al.*), 647

Yield potential
Estimates of relative yield potential and genetic improvement of wheat cultivars in the Mediterranean region (Sener *et al.*), 323